

Powerology

Streaming MagSafe Charger Semiconductor Cooling with Stand

SKU: PMHDWCMBK

Table of Contents


Features	2
Schematic View	2
Dimensions	3
Specifications	3
Installation	4
Instructions for Use	6
Indicator Guide	6
Function Guide	7
Precautions	7
Warranty	8
Contact Us	8

Before installing and using the product, please carefully read this User Manual to guarantee correct usage and keep it secure for future reference.

Features

- 1. Powerful Cooling and Wireless Charging:** Optimally designed for live streaming users, ensuring efficient heat management and continuous charging.
- 2. Stable Live Streaming:** Provides uninterrupted live streaming while charging, without any loss of power.
- 3. 15 W Wireless Fast Charging:** Delivers a quick and complete charge.
- 4. Strong Magnetic Suction:** Ensures a secure fit and enhances heat dissipation for improved device performance.
- 5. Efficient Cooling:** Features a large area with high conductivity, offering powerful cooling within 3 seconds.
- 6. Quiet Operation:** Operates quietly with noise levels as low as 30dB, ideal for live streaming environments.
- 7. Waterproof Design:** Safe for use in various settings, enhancing reliability for live streaming.
- 8. Modular Design:** Allows for easy disassembly and reassembly, adaptable for multiple use scenarios.

Schematic View



A. Charging and Cooling 2-in-1 Mode	E. Type-C
B. Charge Mode	F. Cooling Fan
C. Cooling Mode	G. Pilot Lamp
D. Collet Nut	H. Cooling Area

Dimensions



Specifications


Input Parameters	9V/2A
Maximum Input Power	18W
Maximum Wireless Output	15W
Magnetic Attraction	≥ 12N
Ball Head Specifications	17mm Universal Ball Head
Power Interface	USB Type-C

Standard	GB4943.1-2022
Material	ABS + PC + Aluminum Alloy
Net Weight	98gr
Product Size	Diameter 62mm×Height 28mm
Stand Size	210mm to 320mm
Operating Modes	Cooling Mode, Charging Mode, Charging + Cooling 2-in-1 Mode


Note: Charge via 20W output or higher for optimal charging experience.

Installation


1. If your phone has a protective case, remove it before proceeding.




2. Align the middle of the phone's back with the cooling area on the heat sink.




3. Connect the Type-C charging cable to the Type-C power supply port on the heat sink. Power on the device, and the indicator light will activate.



4. You can switch between cooling mode, charging mode, and a combined charging and cooling mode using the mode switch button located on the heat sink.



5. Twist the knob on the back of the radiator, position it on the ball head of the bracket, attach the clamp to the ball, tighten the knob to secure it, and complete the assembly.




Instructions for Use

1. Once the device is powered on, and the mode is set to either charging mode or charging and cooling 2-in-1 mode, place the phone in the designated cooling area of the radiator. The radiator will then automatically activate upon detecting the phone.


⚡ Charge mode


Does not work
without a phone
attached.



▶ Charging+cooling 2-in-1 mode


Automatically works
when the phone is
installed.



2. When the mode is set to cooling, the radiator automatically begins operation.

Indicator Guide

Note: When the radiator is operating abnormally, the red light will flash. Abnormal conditions may include over-temperature protection, under voltage, over voltage, abnormal communication, Foreign Object Detection (FOD), etc.

Charger Power	Indicator Light Status
10W	Green light always on
≥18W	Blue light always on

Function Guide

Remarks:

1. The symbol " (✓) " represents "working."
2. The symbol " (✕) " represents "not working."
3. For an enhanced performance experience, it is recommended to use an 18W or higher adapter.

Charger Power	Mode	Cooling Mode	Wireless Charging Function
10w>	Charging and Cooling 2-in-1	✕	✕
	Charge	✕	✕
	Cooling	✕	✕
10w	Charging and Cooling 2-in-1	✓	✓
	Charge	✕	✓
	Cooling	✓	✕
18w ≤	Charging and Cooling 2-in-1	✓	✓
	Charge	✕	✓
	Cooling	✓	✕

Precautions

1. Prior to using the radiator, please thoroughly read the manual for functional requirements and safety precautions.
2. Do not use a phone protective cover while operating the heat sink.
3. Ensure to disconnect the power supply promptly after stopping the use of the heat sink.
4. Do not obstruct the air inlet or outlet during operation of the radiator.
5. Do not insert fingers or foreign objects into the air inlet and outlet to prevent damage.
6. The presence of condensation in the refrigeration area during operation is normal.
7. This device is compatible with iPhone 12 and later models.

Warranty

Products that you buy directly from our **Powerology** website or shop come with a 24-month warranty.

The 24-month warranty applies to products purchased directly from our **Powerology** website or store. If **Powerology** products are bought from any of our verified retailers, then the product is eligible for only a 12-month warranty. To extend your product's warranty, visit our website **powerology.me/warranty** and fill in your details in the provided form along with an uploaded picture of the product to process your request. Once approved, you will receive a confirmation email of the extended product warranty. Upload the required information within 48 hours of purchase to be eligible for a 24-month warranty period.

For more info, please check:
powerology.me/warranty

Contact Us

If you have any questions about this Privacy Policy, please contact us at: **hey@powerology.me**

Website: **powerology.me**

Instagram: **powerology_official**

Facebook: **powerology.ME**