

LèPRESSO



LePresso
Thermo Flask Insulated Mug
with Steel Straw

SKU: LPCFFM0024

Features

1. This insulated cup maintains a cold temperature for beverages for up to 6 hours.
2. . It also keeps drinks warm for up to 6 hours, ensuring your beverage stays at the desired temperature.
3. The cup features a push-down mechanism to unlock the lid, making it easy to access your drink.
4. You can securely lock the lid by pushing it up, which helps prevent spills and leaks.
5. Includes a durable stainless steel straw for easy sipping and long-lasting use.

Safety Precautions

Warning: Straws are not recommended for infants under 6 months due to choking hazards.

1. Keep the product out of reach of infants and young children to ensure their safety.
2. Avoid placing the product near open flames to prevent damage or potential fire risks.
3. Ensure the lid is tightly closed when transporting to prevent leaks and spills.
4. Be aware of the beverage temperature to avoid scalding when consuming hot liquids.
5. Do not open the lid close to your face to avoid sudden steam or splash injuries.
6. Do not use microwave ovens or other heating devices to warm the product as it may cause damage.
7. Avoid using dishwashers for cleaning; hand wash only to preserve the integrity of the product.

- 8. Avoid dropping or subjecting the product to strong impacts to prevent breakage or damage.
- 9. Do not overfill; keep liquids below the neck of the bottle to prevent overflow when the lid is secured.
- 10. Avoid storing carbonated drinks as they may cause pressure buildup and leakage.
- 11. Do not use for prolonged heating of dairy products or infant foods, as it may promote bacterial growth.
- 12. Before first use, clean the product with a neutral detergent; avoid bleach or chlorine, and do not submerge the bottle completely in water.

Specifications

Capacity	900mL
Outer Material	304 Stainless Steel
Inner Material	316 Stainless Steel
Dimensions	243×111×145mm
Net Weight	497g

Maintenance

- 1. When not in use for extended periods, ensure the liner is kept dry to avoid damage or deterioration.
- 2. Regularly clean and dry the cup thoroughly after each use to prevent odors and residue buildup.
- 3. If red spots, resembling rust, appear due to impure water, wash the affected area with warm water and diluted vinegar for 30 minutes to effectively remove the stains.

Part Name	Material Name	Generic Class	Food Safety Standard
Lid	4,4 'Isopropylidene diphenol (bisphenol A), polymer with carbonyl dichloride or diphenyl carbonate	PC	GB 4806.7
	Acrylonitrile-butadiene-styrene	ABS	GB 4806.7
	Polypropylene (propylene homopolymer)	PP	GB 4806.7
	Polymer of dimethyl terephthalate and 1,4-cyclohexanedimethanol, 2,2,4,4-tetramethyl-1,3-cyclobutanediol	Modified PCT (Tritan)	GB 4806.7
	4,4 '- Bisphenol and 1,1' - sulfonylbis (4-c hlorobenzene) polymer	PPSU	GB 4806.7
	Austenitic 304 stainless steel (grade 06Cr19Ni10)		GB 4806.9
Liner	Austenitic 304 stainless steel (grade 06Cr19Ni10)		GB 4806.9
	Austenitic 316 stainless steel (grade 06Cr17Ni12Mo2)		GB 4806.9
Outer Covering	Austenitic 304 stainless steel (grade 06Cr19Ni10)		GB 4806.7
	Stainless steel (grade 12Cr17Mn6Ni5N)		GB 4806.7
Tea Partition Stirrer	Austenitic 304 stainless steel (grade 06Cr19Ni10)		GB 4806.11
	Polypropylene (propylene homopolymer)	PP	GB 4806.11
	Polymer of dimethyl terephthalate and 1,4-cyclohexanedimethanol, 2,2,4,4-tetramethyl-1,3-cyclobutanediol	Modified PCT (Tritan)	GB 4806.11
	Methylvinyl dimethyl (siloxane and polysiloxane) (silastic)		GB 4806.7
Sealing ring	Methylvinyl dimethyl (siloxane and polysiloxane) (silastic)		GB 4806.7
Suction nozzle	Methylvinyl dimethyl (siloxane and polysiloxane) (silastic)		GB 4806.11
	Polypropylene (propylene homopolymer)	PP	GB 4806.11
	Polymer of dimethyl terephthalate and 1,4-cyclohexanedimethanol, 2,2,4,4-tetramethyl-1,3-cyclobutanediol	Modified PCT (Tritan)	GB 4806.11
Straw Pipette joint	Methylvinyl dimethyl (siloxane and polysiloxane) (silastic)		GB 4806.7
	Austenitic 304 stainless steel (grade 06Cr19Ni10)		GB 4806.7
	Polypropylene (propylene homopolymer)	PP	GB 4806.9
Connection piece Water outlet	Polypropylene (propylene homopolymer)	PP	GB 4806.7
	Polymer of dimethyl terephthalate and 1,4-cyclohexanedimethanol, 2,2,4,4-tetramethyl-1,3-cyclobutanediol	Modified PCT (Tritan)	GB 4806.7
	4,4 'Isopropylidene diphenol (bisphenol A) ,polymer with carbonyl dichloride or diphenyl carbonate	PP	GB 4806.7

Warranty

Products that you buy directly from our LePresso website or shop come with a 24-month warranty.

The 24-month warranty applies to products purchased directly from our **LePresso** website or store. If **LePresso** products are bought from any of our verified retailers, then the product is eligible for only a 12-month warranty. To extend your product's warranty, visit our website <https://www.lepresso.com/warranty> and fill in your details in the provided form along with an uploaded picture of the product to process your request. Once approved, you will receive a confirmation email of the extended product warranty. Upload the required information within 48 hours of purchase to be eligible for a 24-month warranty period.

For more info, please check:

<https://www.lepresso.com/warranty>

Contact Us

If you have any questions or concerns about our Shipping and Returns Policy, please contact us at: info@lepresso.com

Website: <https://www.lepresso.com/>

Instagram: **lepresso_official**