



**Green Lion**

## **Outlander Portable Bidet**

SKU: GNOLHPBIDTWH

Model No: GPD-09

## Table of Contents

Important Safety Instructions	2
Warning	2
Product Overview	3
Operation Function	3
Recharge & Storage	4
Specifications	6
Warning	7
Disposal	8
Warranty	8
Contact Us	8

## Important Safety Instructions

1. Please read all instructions carefully before using the appliance.
2. Be sure to understand how to stop the product and charge the battery.
3. Follow the maintenance instructions as specified in the manual.
4. Operate the appliance only with water within the temperature range of 10°C to 50°C.
5. The bidet assembly contains small parts that could pose a choking hazard.


## Warning

### **Injury Reduction Notes**

1. Do not leave the appliance unattended while in use. Switch the power off when not in use.
2. Use only as described in this manual with the manufacturer's recommended attachments and replacement parts.
3. Do not use the bidet with water from the sea or muddy/dirty condition water from pools or rivers.
4. Ensure the charger port is closed tightly and do not immerse the device in water to avoid damage.
5. When the device is operated by children, proper instructions and attention should be provided.
6. Recharge the battery according to the required specifications. Output: 5V / 0.5-1A.
7. Do not use a damaged power cord or plug, and charge only with the correct voltage as listed on the rating plate. Using improper voltage may damage the battery and cause injury to the user.
8. Before use, ensure there are no broken or worn parts, and that all screws are fully tightened.
9. Keep the device away from heating or fire.

10. Keep the device away from freezing temperatures. Freezing will damage the motor and cord.
11. Do not disassemble your device. This will void all warranties.
12. Do not charge the battery overnight or overcharge.


## Product Overview




1. Integrated Bidet
2. Filter
3. USB Charging Cable
4. Adhesive- Backed Hook

## Operation Function


1. Fill any water tank with clean water, then insert the hose into the bottom of the water tank.



2. Open the spray rod on the main unit.




3. There is a hole position adjustment cover on the spray rod that can be toggled up and down to increase or decrease the number of water outlet holes in use. The button can be adjusted for strong and weak settings.




4. After use, retract the spray rod for storage.


## Recharge & Storage




Open the socket cover and plug the USB cable to charge it when the power is low. Connect the USB charging cable to:



A 5V Phone USB charger



A Car USB socket



A Computer USB socket

**Warning:** Do not use the charger with output higher than 5V to charge the device, as it may damage the battery and cause fire or explosion!

NOTES on LED Indicator:


4 LED: 75%-100% Capacity (Please stop charging)

3 LED: 50%-75% Capacity

2 LED: 25%-50% Capacity

1 LED: 7%-25% Capacity

All LED out: 0%-7%Capacity



### Battery:


**1.** We recommend charging the battery to SOC 40 %-50 % (about 30 minutes) after each use to ensure maximum battery life. Please charge before using for the first time.

**2.** Please recharge the battery at least every three months to ensure it remains in a SOC 40%-50%—the battery will deplete when stored for long periods.


**3.** Store away from high temperatures or flammable and explosive goods. Only charge at room temperature and avoid charging in hot environments.

4. It can be hung on the wall through the reserved hook position on the back of the product and the adhesive-backed hook.

5. The bottom of the product is equipped with a suction cup and can be placed upright directly on the countertop.



4



5

## Specifications

Model No.	GPB-09
Material	ABS + Silicone
Battery	1600mAh
Power	≤5.55W
Voltage	3.7V
Motor Speed	6000 RPM
Water Flow	1L-1.3L/min
Water Pipe Length	1.2 m
Spray Modes	2 Levels
Waterproof	IPX6
Charging Port	Type-C
Charging Time	2.5-3 hours
Working Time	60 (High P) – 240 (Low P) min
Product Weight	300 g
Product Dimensions	50*38*82 mm

## Warning

1. If there is water inside the product, it can be placed horizontally or vertically, and the water inside can be drained through the drainage hole at the bottom.
2. When the low battery indicator light flashes, charge it in a timely manner. During charging, the indicator light flashes and gradually lights up. When fully charged, all the indicator lights will remain on steadily.
3. The main unit will generate heat during long-term continuous use.





## Disposal

This product must not be disposed of as unsorted household waste. It is important to separate such waste for proper treatment and recycling, in compliance with local waste management regulations.

## Warranty

Products that you buy directly from our **Green Lion** website or shop come with a 24-month warranty.

When you buy **Green Lion** products from any of our approved sellers, you only get a 12-month warranty. If you want to extend this warranty, go to our website at <https://www.greenlion.net/warranty> and fill out the form with your information. Don't forget to upload a picture of the product too. After we've checked and accepted your request, we'll send you an email to confirm that your product's warranty has been extended.

For more info, please check:  
<https://www.greenlion.net/warranty>

## Contact Us

If you have any questions about this Privacy Policy, please contact us at:

Website: <https://www.greenlion.net/>

Sales: [sales@greenlion.net](mailto:sales@greenlion.net)

Service Support: [Support@greenlion.net](mailto:Support@greenlion.net)

Telegram: [@greenlion\\_global](https://t.me/greenlion_global)

Instagram: [@greenlion\\_global](https://www.instagram.com/greenlion_global)