

PORODO



Porodo

VYROX Car Tire Inflator

SKU: PDGA05BK



Table of Contents

| | |
|------------------------------|---|
| Product Overview | 2 |
| Specifications | 2 |
| Product Features | 3 |
| Display and Button Functions | 4 |
| Air Pressure Recommendations | 5 |
| Important Notices | 5 |
| Inflation Instructions | 5 |
| Disposal | 6 |
| Warranty | 7 |
| Contact Us | 7 |

Product Overview

The Porodo Vyrox Car Tire Inflator is a compact and efficient tool for quick tire inflation. With a 19L/min airflow rate and up to 150 PSI, it's suitable for vehicles, bicycles, and sports balls. The real-time pressure display allows easy monitoring, while the heat dissipation vent ensures optimal performance. It features USB-C charging for convenience and is designed for reliable, fast inflation on the go.

Specifications

| | |
|--------------------|-------------|
| Battery Capacity | 2000mAh x 2 |
| Input Voltage | DC 5V/2A |
| Peak Current | 8A |
| Rated Power | 60W |
| Rated Voltage | 7.4V |
| Inflation Pressure | 150PSI Max |
| Noise Level | 80dB |
| Working Time | 28 min |

| | |
|----------------------|--|
| Charging Time | 2.5h |
| Air Pump Flow Rate | 19L/min |
| Working Temperature | -5°C to 60°C |
| Charging Port | USB-C |
| Accessories Included | USB-C Charging Cable, Inflation Tube, 4-Piece Nozzle Set |
| Product Weight | 0.46kg |
| Product Size | 48 x 85 x 130mm |
| Model Number | PDGA05 |

Product Features


- a.** 19L/min airflow rate: This high airflow rate allows for fast and efficient inflation of tires and other inflatables, reducing the time needed to achieve the desired pressure.
- b.** Up to 150 PSI pressure: The inflator supports a maximum pressure of 150 PSI, making it versatile for use with various types of tires, including those on vehicles, bicycles, and sports balls.
- c.** Real-time pressure display: The inflator features a built-in display that shows the current tire pressure, allowing you to monitor the inflation process and ensure accuracy.
- d.** Heat dissipation vent: The device is equipped with a heat dissipation vent

that helps maintain optimal performance by preventing overheating during extended use.

e. USB-C charging: With USB-C charging, the inflator offers a convenient and modern way to power the device, ensuring faster charging times and compatibility with various power sources.

f. Compact and portable design: Its small, lightweight design makes the inflator easy to carry, store, and use on the go, whether you're at home or on a trip.

Display and Button Functions



- 1.** Mode
- 2.** Current Pressure
- 3.** Unit
- 4.** Preset Pressure
- 5.** Battery Reminder

- 6.** Reduce Pressure
- 7.** Increase Pressure
- 8.** Mode / Unit
- 9.** Start / Stop / Switch
- 10.** Illumination

Air Pressure Recommendations

1. Bicycle Mode: Pressure range: 0.5–150 PSI (Automatic jump 40 PSI)
2. Motorcycle Mode: Pressure range: 2.0–3.0 BAR (Automatic jump 2.5 BAR)
3. Car Mode: Pressure range: 2.0–3.0 BAR (Automatic jump 2.5 BAR)
4. Ball Mode: Pressure range: 4–16 PSI (Automatic jump 9 PSI)
5. Manual Mode: Pressure range: Self-regulate pressure

Important Notices

1. This product is suitable for use with cars, bicycles, electric vehicles, lifeboats, and balls. It is not compatible with trucks or coaches.
2. When inflating multiple tires continuously, ensure an interval cooling time of more than 10 minutes to avoid overheating.
3. When the indicator shows one light (low power), please connect the power line to charge the device.
4. After extended use, the temperature at the air pipe interface may become high. Please handle with care and operate safely.

Important Notices

1. Connect the air pipe to the inflating pump first, then connect the product.
2. Press and hold the (🔊) button to start. Press the (🔊) button again to switch the inflation mode (bicycle/motorcycle/car/ball/manual mode).
3. Press and hold the (🔊) button to change the unit (BAR, PSI, KPA, KG/CM²). Use the +/- button to adjust the preset pressure. (Refer to the recommended air pressure table for each mode.)
4. Press the (🔊) button to begin inflating. Press it again to stop.

5. After inflation, remove the air nozzle from the tire first, then detach it from the pump.
6. If the pump is not in use, ensure to charge it in time.
7. Short press the (☀️) button to turn on the flashlight, press again to switch to flash mode, and press once more to enter SOS mode. The flashlight will turn off when the device is powered off.

Disposal

This product must not be disposed of as unsorted household waste. It is important to separate such waste for proper treatment and recycling, in compliance with local waste management regulations.



Warranty

Products that you buy directly from our **Porodo** website or shop come with a 24-month warranty.

When you buy **Porodo** products from any of our approved sellers, you only get a 12-month warranty. If you want to extend this warranty, go to our website at **<https://www.porodo.net/warranty>** and fill out the form with your information. Don't forget to upload a picture of the product too. After we've checked and accepted your request, we'll send you an email to confirm that your product's warranty has been extended.

For more info, please check:
<https://www.porodo.net/warranty>

Contact Us

If you have any questions about this Privacy Policy, please contact us at:
info@porodo.net

Website: **<https://www.porodo.net/>**

Service Support: **support@porodo.net**

Instagram: **porodo**